

AMENDMENTS TO THE CLAIMS:

Please amend claims 1, 50, 81, 82, 83, and 84, and cancel claims 73 and 74.

This listing of claims will replace all prior versions and listings of claims in the application:


1. (Currently Amended) A cosmetic composition comprising:

(1) at least one conditioner chosen from:

- synthetic oils;
- animal oils;
- plant oils;
- fluoro oils;
- perfluoro oils;
- natural waxes; and
- synthetic waxes; and

(2) at least one silicone copolymer with a dynamic viscosity ranging from 1×10^6 to 100×10^6 cP, resulting from the addition reaction, in the presence of a catalyst, of:

- (a) at least one polysiloxane of formula (II):



in which:

FINNEGAN
HENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com

- R₄, which may be identical or different, are independently chosen from groups that can react by chain addition reaction,
- R₅, which may be identical or different, are independently chosen from alkyl, alkenyl, cycloalkyl, aryl, hydroxyl, and alkylaryl groups, and can optionally further comprise at least one functional group,- n is an integer wherein the polysiloxane of formula (II) has a kinematic viscosity ranging from 1 to 1 x 10⁶ mm²/s; and
- (b) at least one silicone compound comprising at least one and not more than two groups capable of reacting with the groups R₄ of the at least one polysiloxane of formula (II), wherein:
 - at least one of the at least one polysiloxane of formula (II) and the at least one silicone compound (b) comprises an aliphatic group comprising an ethylenic unsaturation;
 - wherein the composition is in a form chosen from a rinse-out hair conditioner, a leave-in hair conditioner, a composition for permanent-waving the hair, a composition for straightening the hair, a composition for dyeing the hair, a composition for bleaching the hair, a rinse-out hair composition to be applied before a procedure chosen from dyeing, bleaching, permanent-waving and straightening the hair, a rinse-out hair composition to be applied after a procedure chosen from dyeing, bleaching, permanent-waving and straightening the hair, a rinse-out hair composition to be applied between the two steps of a permanent-waving operation, and a rinse-out hair composition to be applied between the two steps of a hair-straightening operation, an aqueous hair lotion, an aqueous-alcoholic hair lotion, a hair gel, a hair milk, a hair cream, a[[n]] hair emulsion, a thickened hair lotion, and a hair mousse.

2. (Previously Presented) A composition according to claim 1, wherein R_4 is chosen from a hydrogen atom and aliphatic groups comprising an ethylenic unsaturation.

3. (Previously Presented) A composition according to claim 2, wherein the aliphatic groups comprising an ethylenic unsaturation are chosen from vinyl, allyl and hexenyl groups.

4. (Previously Presented) A composition according to claim 1, wherein the groups R_5 are chosen from hydroxyl groups; alkyl groups comprising from 1 to 20 carbon atoms; cycloalkyl groups comprising from 5 to 6 carbon atoms; phenyl groups; alkylaryl groups comprising from 7 to 20 carbon atoms; and can optionally further comprise functional groups chosen from ethers, amines, carboxyls, hydroxyls, thiols, esters, sulfonates and sulfates.

5. (Previously Presented) A composition according to claim 1, wherein in R_5 , said alkenyl groups are chosen from alkenyl groups comprising from 2 to 10 carbon atoms.

6. (Previously Presented) A composition according to claim 1, wherein R_5 is a methyl group.

7. (Original) A composition according to claim 1, wherein n is an integer ranging from 5 to 5,000.

8. (Previously Presented) A composition according to claim 1, wherein the at least one silicone compound of type (b) is chosen from polysiloxanes of formula (II), in which R_4 , R_5 , and n are defined as in claim 1 and wherein at least one or two groups R_4 of the at least one silicone compound of type (b) can react with the groups R_4 of the at

least one polysiloxane of formula (II) of type (a), with the proviso that that said at least one silicone compound of type (b) differs from said at least one polysiloxane of formula (II) of type (a).

9. (Original) A composition according to claim 1, wherein, in the presence of a hydrosilylation catalyst, the at least one silicone copolymer is obtained by addition reaction of at least:

- (a) one α,ω -divinylpolydimethylsiloxane, and
- (b) one α,ω -dihydrogenopolydimethylsiloxane.

10. (Original) A composition according to claim 9, wherein the hydrosilylation catalyst is a platinum catalyst.

11. (Original) A composition according to claim 1, wherein said at least one silicone copolymer is in the form of an aqueous emulsion.

12. (Original) A composition according to claim 1, wherein the at least one silicone copolymer is essentially non-crosslinked.

13. (Original) A composition according to claim 1, wherein the at least one silicone copolymer is present in an amount ranging from 0.05% to 10% by weight relative to the total weight of the composition.


14. (Original) A composition according to claim 13, wherein the at least one silicone copolymer is present in an amount ranging from 0.1% to 5% by weight relative to the total weight of the composition.

15. (Original) A composition according to claim 11, wherein said aqueous emulsion of the at least one silicone copolymer has a silicone droplet or particle size ranging from 10 nm to 50 μm .

16. (Original) A composition according to claim 15, wherein said emulsion of the at least one silicone copolymer has a silicone droplet or particle size ranging from 0.3 μm to 20 μm .

17. (Original) A composition according to claim 1 further comprising at least one cationic surfactant chosen from:

A) quaternary ammonium salts of formula (IV) below:



in which:


- the radicals R_1 , R_2 , R_3 , and R_4 , which may be identical or different, are independently chosen from linear and branched aliphatic radicals comprising from 1 to 30 carbon atoms, and aromatic radicals, wherein the aliphatic radicals optionally comprise hetero atoms, and

- X^- is an anion chosen from the group of halides, phosphates, anions derived from organic acids, (C_2-C_6) alkyl sulfates, alkyl sulfonates, and alkylaryl sulfonates;

B) quaternary ammonium salts of imidazolinium of formula (V) below:

FINNEGAN
HENDERSON
FARABOW
GARRETT &
DUNNER LLP


1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com



in which:

- R₅ is chosen from alkenyl and alkyl radicals comprising from 8 to 30 carbon atoms,
- R₆ is chosen from a hydrogen atom, C₁-C₄ alkyl radicals, and alkenyl and alkyl radicals comprising from 8 to 30 carbon atoms,
- R₇ is chosen from C₁-C₄ alkyl radicals,
- R₈ is chosen from a hydrogen atom and C₁-C₄ alkyl radicals, and
- X⁻ is an anion chosen from halides, phosphates, acetates, lactates, alkyl sulfates, alkyl sulfonates, and alkylaryl sulfonates;


C) diquatery ammonium salts of formula (VI):



in which:


- R₉ is chosen from aliphatic radicals comprising from 16 to 30 carbon atoms,

- R_{10} , R_{11} , R_{12} , R_{13} and R_{14} , which may be identical or different, are independently chosen from a hydrogen atom and alkyl radicals comprising from 1 to 4 carbon atoms, and
 - X^- is an anion chosen from halides, acetates, phosphates, nitrates and methyl sulfates;
- D) quaternary ammonium salts of formula (VII) below comprising at least one ester function:



in which:

- R_{15} is chosen from C_1 - C_6 alkyl radicals and C_1 - C_6 hydroxyalkyl and C_1 - C_6 dihydroxyalkyl radicals;
- R_{16} is chosen from:
- acyl groups of the following formula:




wherein R_{19} is defined below,

FINNEGAN
HENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com

- linear and branched, saturated and unsaturated, C₁-C₂₂ hydrocarbon-based radicals, and
- a hydrogen atom;
- R₁₈ is chosen from:
- acyl groups of the following formula:



wherein R₂₁ is defined below,

- linear and branched, saturated and unsaturated, C₁-C₆ hydrocarbon-based radicals, and
- a hydrogen atom;
- R₁₇, R₁₉ and R₂₁, which may be identical or different, are independently chosen from linear and branched, saturated and unsaturated, C₇-C₂₁ hydrocarbon-based radicals;
- n, p and r, which may be identical or different, are independently integers ranging from 2 to 6;
- y is an integer ranging from 1 to 10;
- x and z, which may be identical or different, are independently integers ranging from 0 to 10; and
- X⁻ is chosen from simple and complex, organic and inorganic anions; and
- provided that the sum x + y + z is from 1 to 15, and that when x is 0, then R₁₆ is chosen from linear and branched, saturated and unsaturated, C₁-C₂₂ hydrocarbon-


FINNEGAN
HENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com

based radicals, and that when z is 0, then R₁₈ is chosen from linear and branched, saturated and unsaturated, C₁-C₆ hydrocarbon-based radicals.

18. (Original) A composition according to claim 17, wherein said at least one cationic surfactant is chosen from:

A) quaternary ammonium salts of formula (IV) below:



wherein:

- X⁻ is an anion chosen from halides, (C₂-C₆)alkyl sulfates, phosphates, alkyl and alkylaryl sulfonates, and anions derived from organic acids, and

i) - the radicals R₁, R₂, and R₃, which may be identical or different, are independently chosen from linear and branched aliphatic radicals comprising from 1 to 4 carbon atoms, optionally comprising hetero atoms, and aromatic radicals, and


- R₄ is chosen from linear and branched alkyl radicals comprising from 16 to 30 carbon atoms;

ii) - the radicals R₁ and R₂, which may be identical or different, are independently chosen from linear and branched aliphatic radicals comprising from 1 to 4 carbon atoms, optionally comprising hetero atoms, and aromatic radicals, and

- R₃ and R₄, which may be identical or different, are independently chosen from linear and branched alkyl radicals comprising from 12 to 30 carbon atoms, wherein said radicals further comprise at least one function chosen from ester and amide functions.


19. (Original) A composition according to claim 17, wherein in said quaternary ammonium salts of formula (VII):

- R₁₅, is chosen from methyl and ethyl radicals,
- x and y are equal to 1;
- z is equal to 0 or 1;
- n, p and r are equal to 2;
- R₁₆, is chosen from:



wherein R₁₉ is defined below,

- methyl, ethyl and C₁₄-C₂₂ hydrocarbon-based radicals, and
- a hydrogen atom;
- R₁₈ is chosen from:



- wherein R₂₁ is defined below,

- a hydrogen atom; and
- R₁₇, R₁₉ and R₂₁, which may be identical or different, are independently chosen from linear and branched, saturated and unsaturated, C₁₃-C₁₇ hydrocarbon-based radicals.

20. (Original) A composition according to claim 19, wherein R₁₇, R₁₉ and R₂₁ are chosen from linear and branched, saturated and unsaturated C₁₃-C₁₇ aliphatic radicals.

21. (Original) A composition according to claim 19, wherein the hydrocarbon-based radicals are chosen from linear hydrocarbon-based radicals.

22. (Original) A composition according to claim 17, wherein the compounds of formula (VII) are chosen from diacyloxyethyldimethylammonium, diacyloxyethylhydroxyethylmethylammonium, monoacyloxyethyldihydroxyethylmethylammonium, triacyloxyethylmethylammonium and monoacyloxyethylhydroxyethyldimethylammonium salts.

23. (Original) A composition according to claim 22, wherein said monoacyloxyethyl-hydroxyethyldimethylammonium salts are chosen from monoacyloxyethyl-hydroxyethyldimethylammonium chloride salts and monoacyloxyethyl-hydroxyethyldimethylammonium methyl sulfate salts.

24. (Original) A composition according to claim 19, wherein when R₁₆ and R₁₈ are chosen from acyl radicals, said acyl radicals are obtained from plant oils chosen from palm oil and sunflower oil.

25. (Original) A composition according to claim 17, wherein X⁻ of said quaternary ammonium salts of formula (IV) is an anion chosen from chloride, bromide, iodide, methyl sulfate, acetate, and lactate.

26. (Original) A composition according to claim 17, wherein said aromatic radicals of said quaternary ammonium salts of formula (IV) are chosen from aryl and alkylaryl.

27. (Original) A composition according to claim 17, wherein said hetero atoms of said quaternary ammonium salts of formula (IV) are chosen from oxygen, nitrogen, sulfur and halogens.

28. (Original) A composition according to claim 18, wherein said aliphatic radicals of formula (IV)(ii) are chosen from alkyl, alkoxy, alkylamide, polyoxy(C₂-C₆)alkylene, and hydroxyalkyl radicals comprising from 1 to 4 carbon atoms.

29. (Original) A composition according to claim 18, wherein said R₃ and R₄ of formula (IV)(ii) are chosen from (C₁₂-C₂₂)alkylamido(C₂-C₆)alkyl and (C₁₂-C₂₂)alkylacetate radicals.

30. (Original) A composition according to claim 17, wherein said R₅ of formula (V) is chosen from radicals derived from tallow fatty acid.

31. (Original) A composition according to claim 17, wherein in said quaternary ammonium salts of imidazolinium of formula (V):

- R₅ and R₆, which may be identical or different, are independently chosen from alkenyl and alkyl radicals comprising from 12 to 21 carbon atoms,
- R₇ is methyl, and
- R₈ is hydrogen.

32. (Original) A composition according to claim 31, wherein said R₅ and R₆, which may be identical or different, are independently chosen from radicals derived from tallow fatty acid.

33. (Original) A composition according to claim 17, wherein said diquatery ammonium salts comprise propane tallow diammonium dichloride.

34. (Original) A composition according to claim 17, wherein said R₁₅ alkyl radicals of said quaternary ammonium salts of formula (VII) are chosen from linear and branched C₁-C₆ alkyl radicals.

35. (Original) A composition according to claim 34, wherein said R₁₅ radicals are linear radicals.

36. (Original) A composition according to claim 35, wherein said R₁₅ radicals are chosen from methyl, ethyl, hydroxyethyl and dihydroxypropyl.

37. (Original) A composition according to claim 36, wherein said R₁₅ radicals are chosen from methyl and ethyl.

38. (Original) A composition according to claim 17, wherein said sum of x + y + z of said quaternary ammonium salts of formula (VII) ranges from 1 -10.

39. (Original) A composition according to claim 17, wherein said quaternary ammonium salts of formula (IV) are chosen from (a) compounds comprising at least two fatty aliphatic radicals comprising from 8 to 30 carbon atoms, (b) compounds comprising at least one fatty aliphatic radical comprising from 17 to 30 carbon atoms, and (c) compounds comprising at least one aromatic radical.

40. (Original) A composition according to claim 17, wherein said at least one cationic surfactant is chosen from behenyltrimethylammonium salts, stearamidopropyldimethyl(myristyl acetate)ammonium salts, Quaternium-27 and Quaternium-83.

41. (Original) A composition according to claim 17, wherein the at least one cationic surfactant is present in an amount ranging from 0.1% to 10% by weight relative to the total weight of the composition.

42. (Original) A composition according to claim 41, wherein the at least one cationic surfactant is present in an amount ranging from 0.5% to 7% by weight relative to the total weight of the composition.

43. (Original) A composition according to claim 42, wherein the at least one cationic surfactant is present in an amount ranging from 1% to 5% by weight relative to the total weight of the composition.

44. (Original) A composition according to claim 1 further comprising at least one surfactant chosen from anionic, nonionic, and amphoteric surfactants.

45. (Original) A composition according to claim 44, wherein the at least one surfactant chosen from anionic, nonionic, and amphoteric surfactants is present in an amount ranging from 0.1% to 60% by weight, relative to the total weight of the composition.

46. (Original) A composition according to claim 45, wherein the at least one surfactant chosen from anionic, nonionic, and amphoteric surfactants is present in an amount ranging from 3% to 40% by weight, relative to the total weight of the composition.

47. (Original) A composition according to claim 46, wherein the at least one surfactant chosen from anionic, nonionic, and amphoteric surfactants is present in an amount ranging from 5% to 30% by weight, relative to the total weight of the composition.

48. (Original) A composition according to claim 44, wherein the at least one surfactant chosen from anionic, nonionic, and amphoteric surfactants comprises at least one anionic surfactant salt chosen from alkyl sulfates, alkyl ether sulfates, alkylamidoether sulfates, alkylaryl polyether sulfates, monoglyceride sulfates; alkyl sulfonates, alkyl phosphates, alkylamide sulfonates, alkylaryl sulfonates, α -olefin sulfonates, paraffin sulfonates; alkyl sulfosuccinates, alkyl ether sulfosuccinates, alkylamide sulfosuccinates; alkyl sulfosuccinamates; alkyl sulfoacetates; alkyl ether phosphates; acyl sarcosinates; acyl isethionates and N-acyltaurates.

49. (Original) A composition according to claim 44, wherein said at least one surfactant is chosen from anionic surfactants chosen from alkaline salts, sodium salts, ammonium salts, amine salts, amino alcohol salts and magnesium salts.

50. (Currently Amended) A composition according to claim 48, wherein said alkyl and acyl portions of radicals of said salts comprise 4 and from 8 to 24 carbon atoms, and said aryl portions of radicals of said salts are phenyl.

51. (Original) A composition according to claim 44, wherein said at least one surfactant is chosen from anionic surfactants chosen from fatty acid salts, acyl lactates wherein the acyl radical comprises 8 to 20 carbon atoms, and weakly anionic surfactants.

52. (Original) A composition according to claim 51, wherein said fatty acid salts are chosen from the salts of oleic acid, ricinoleic acid, palmitic acid, stearic acid, coconut oil acid and hydrogenated coconut oil acid.

53. (Original) A composition according to claim 44, wherein said at least one surfactant is chosen from anionic surfactants chosen from alkyl-D-galactosiduronic

acids and their salts, polyoxyalkylenated (C₆-C₂₄) alkyl ether carboxylic acids and their salts, polyoxyalkylenated (C₆-C₂₄) alkylaryl ether carboxylic acids and their salts, and polyoxyalkylenated (C₆-C₂₄) alkylamido ether carboxylic acids and their salts.

54. (Original) A composition according to claim 51, wherein said weakly anionic surfactants comprise from 2 to 50 ethylene oxide groups.

55. (Original) A composition according to claim 48, wherein said at least one anionic surfactant salt is chosen from alkyl sulfates and alkyl ether sulfates.

56. (Previously Presented) A composition according to claim 44, wherein said at least one surfactant is chosen from nonionic surfactants chosen from polyethoxylated, polypropoxylated and polyglycerolated fatty acids, alkylphenols, α -diols and alcohols having a fatty aliphatic chain comprising from 8 to 18 carbon atoms, wherein the number of ethylene oxide and propylene oxide groups ranges from 2 to 50 and the number of glycerol groups ranges from 2 to 30, copolymers of ethylene oxide and of propylene oxide, condensates of ethylene oxide and of propylene oxide with fatty alcohols, polyethoxylated fatty amides comprising from 2 to 30 mol of ethylene oxide, polyglycerolated fatty amides comprising on average 1 to 5 glycerol groups, polyethoxylated fatty amines comprising from 2 to 30 mol of ethylene oxide, oxyethylenated fatty acid esters of sorbitan comprising from 2 to 30 mol of ethylene oxide, fatty acid esters of sucrose, fatty acid esters of polyethylene glycol, alkylpolyglycosides, N-alkylglucamine derivatives, and amine oxides.

57. (Previously Presented) A composition according to claim 56, wherein said polyglycerolated fatty amides comprise on average from 1.5 to 4 glycerol groups.


58. (Original) A composition according to claim 56, wherein said amine oxides are chosen from (C₁₀-C₁₄)alkylamine oxides and N-acylaminopropylmorpholine oxides.

59. (Original) A composition according to claim 56, wherein said nonionic surfactants are chosen from alkylpolyglycosides.

60. (Previously Presented) A composition according to claim 44, wherein said at least one surfactant is chosen from amphoteric surfactants chosen from aliphatic secondary and tertiary amine derivatives wherein the aliphatic radical is chosen from linear and branched chain radicals comprising from 8 to 22 carbon atoms and comprising at least one water-soluble anionic group, (C₈-C₂₀)alkylbetaines, sulfobetaines, (C₈-C₂₀)alkylamido(C₁-C₆)alkylbetaines, and (C₈-C₂₀)alkylamido(C₁-C₆)alkylsulfobetaines.

61. (Original) A composition according to claim 60, wherein said at least one water-soluble anionic group is chosen from carboxylates, sulfonates, sulfates, phosphates and phosphonates.

62. (Original) A composition according to claim 60, wherein said amine derivatives are chosen from the compounds:




in which:

- R₂ is chosen from alkyl radicals derived from an acid R₂-COOH present in hydrolysed coconut oil, heptyl, nonyl and undecyl radicals,

- R₃ is chosen from β-hydroxyethyl groups, and

- R₄ is chosen from carboxymethyl groups;

and



in which:

- (B) is $\text{-CH}_2\text{CH}_2\text{OX'}$, with X' chosen from a $\text{-CH}_2\text{CH}_2\text{-COOH}$ group and a hydrogen atom,

- (C) is $\text{-(CH}_2\text{)}_z\text{-Y'}$ with $z = 1$ or 2 , and with Y' chosen from -COOH and $\text{-CH}_2\text{-CHOH-SO}_3\text{H}$ radicals,

- R_5 is chosen from alkyl radicals and unsaturated C_{17} radicals.

63. (Original) A composition according to claim 62, wherein said alkyl radicals R_5 are chosen from (a) alkyl radicals of an acid $R_5\text{-COOH}$ present in oils chosen from coconut oil and hydrolysed linseed oil, and (b) C_{17} alkyl radicals and the iso forms.

64. (Original) A composition according to claim 62, wherein said alkyl radicals of said R_5 are chosen from alkyl radicals chosen from C_7 , C_9 , C_{11} and C_{13} alkyl radicals.

65. (Original) A composition according to claim 44, wherein said at least one surfactant is chosen from at least two surfactants of different types.

66. (Original) A composition according to claim 65, wherein said at least two surfactants of different types are chosen from (a) more than one anionic surfactant, (b) at least one anionic surfactant and at least one amphoteric surfactant, and (c) at least one anionic surfactant and and at least one nonionic surfactant.

67. (Original) A composition according to claim 44, wherein said at least one surfactant is chosen from anionic surfactants chosen from $(C_{12}\text{-}C_{14})$ alkyl sulfates of sodium, of triethanolamine and of ammonium, $(C_{12}\text{-}C_{14})$ alkyl ether sulfates of sodium, of triethanolamine and of ammonium, oxyethylenated with 2.2 mol of ethylene oxide,

sodium cocoyl isethionate, and sodium(C₁₄-C₁₆)- α -olefin sulfonate, and from an amphoteric surfactant chosen from either:

- amine derivatives comprising disodium cocoamphodipropionate and sodium cocoamphopropionate, or
- amphoteric surfactants of zwitterionic type.

68. (Original) A composition according to claim 67, wherein said amphoteric surfactants of zwitterionic type are chosen from alkylbetaines.

69. (Original) A composition according to claim 68, wherein said alkylbetaines are chosen from cocobetaine.

70. (Original) A composition according to claim 1 further comprising at least one additive chosen from fragrances, nacreous agents, preserving agents, silicone sunscreens, non-silicone sunscreens, vitamins, provitamins, amphoteric, anionic and nonionic polymers, proteins, protein hydrolysates, 18-methyleicosanoic acid, hydroxy acids, panthenol, volatile and non-volatile, cyclic and linear and crosslinked, modified and non-modified silicones, and any other additive conventionally used in cosmetics which does not substantially adversely affect the properties of the compositions according to the invention.

71. (Original) A composition according to claim 70, wherein said at least one additive is present in an amount ranging from 0 to 20% by weight relative to the total weight of the composition.

72. (Canceled)

73. (Canceled)

74. (Canceled)

75. (Canceled)

76. (Canceled)

77. (Canceled)

79. (Canceled)

80. (Canceled)


81. (Currently Amended) A process of caring for a keratin material comprising applying to said keratin material a composition comprising:

(1) at least one conditioner chosen from:

- synthetic oils;
- animal oils;
- plant oils;
- fluoro oils;
- perfluoro oils;
- natural waxes; and
- synthetic waxes; and

(2) at least one silicone copolymer with a dynamic viscosity ranging from 1×10^6 to 100×10^6 cP, resulting from the addition reaction, in the presence of a catalyst, of:

- (a) at least one polysiloxane of formula (II):



in which:

- R₄, which may be identical or different, are independently chosen from groups that can react by chain addition reaction,

- R₅ in formula (II), which may be identical or different, are independently chosen from alkyl, alkenyl, cycloalkyl, aryl, hydroxyl, and alkylaryl groups, and can optionally further comprise at least one functional group,- n is an integer wherein the polysiloxane of formula (II) has a kinematic viscosity ranging from 1 to 1 x 10⁶ mm²/s; and

- (b) at least one silicone compound comprising at least one and not more than two groups capable of reacting with the groups R₄ of the at least one polysiloxane of formula (II), wherein:

- at least one of the at least one polysiloxane of formula (II) and the at least one silicone compound (b) comprises an aliphatic group comprising an ethylenic unsaturation;

-wherein the composition is in a form chosen from a rinse-out hair conditioner, a leave-in hair conditioner, a composition for permanent-waving the hair, a composition for straightening the hair, a composition for dyeing the hair, a composition for bleaching the hair, a rinse-out hair composition to be applied before a procedure chosen from dyeing, bleaching, permanent-waving and straightening the hair, a rinse-out hair composition to be applied after a procedure chosen from dyeing, bleaching, permanent-waving and straightening the hair, a rinse-out hair composition to be applied between the two steps of a permanent-waving operation, and a rinse-out hair composition to be applied between the two steps of a hair-straightening operation, an aqueous hair lotion, an aqueous-alcoholic hair lotion, a hair gel, a hair milk, a hair cream, a[[n]] hair emulsion, a thickened hair lotion, and a hair mousse.


82. (Currently Amended) A process for treating a keratin material comprising applying to said keratin material a composition comprising:

(1) at least one conditioner chosen from:

- synthetic oils;
- animal oils;
- plant oils;
- fluoro oils;
- perfluoro oils;
- natural waxes; and
- synthetic waxes; and

(2) at least one silicone copolymer with a dynamic viscosity ranging from 1×10^6 to 100×10^6 cP, resulting from the addition reaction, in the presence of a catalyst, of:

- (a) at least one polysiloxane of formula (II):



in which:

- R_4 , which may be identical or different, are independently chosen from groups that can react by chain addition reaction,

- R_5 in formula (II), which may be identical or different, are independently chosen from alkyl, alkenyl, cycloalkyl, aryl, hydroxyl, and alkylaryl groups, and can optionally

further comprise at least one functional group, - n is an integer wherein the polysiloxane of formula (II) has a kinematic viscosity ranging from 1 to 1×10^6 mm²/s; and

- (b) at least one silicone compound comprising at least one and not more than two groups capable of reacting with the groups R₄ of the at least one polysiloxane of formula (II), wherein:

- at least one of the at least one polysiloxane of formula (II) and the at least one silicone compound (b) comprises an aliphatic group comprising an ethylenic unsaturation, and optionally rinsing said composition out with water;

-wherein the composition is in a form chosen from a rinse-out hair conditioner, a leave-in hair conditioner, a composition for permanent-waving the hair, a composition for straightening the hair, a composition for dyeing the hair, a composition for bleaching the hair, a rinse-out hair composition to be applied before a procedure chosen from dyeing, bleaching, permanent-waving and straightening the hair, a rinse-out hair composition to be applied after a procedure chosen from dyeing, bleaching, permanent-waving and straightening the hair, a rinse-out hair composition to be applied between the two steps of a permanent-waving operation, and a rinse-out hair composition to be applied between the two steps of a hair-straightening operation, an aqueous hair lotion, an aqueous-alcoholic hair lotion, a hair gel, a hair milk, a hair cream, a[[n]] hair emulsion, a thickened hair lotion, and a hair mousse.

83. (Currently Amended) A process for treating a keratin material according to claim 82, wherein said keratin material is chosen from hair, skin, eyelashes, and eyebrows, ~~nails, lips, and scalp.~~

FINNEGAN
HENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com


84. (Currently Amended) A process for manufacturing a cosmetic product comprising including in said product:

(1) at least one conditioner chosen from:

- synthetic oils;
- animal oils;
- plant oils;
- fluoro oils;
- perfluoro oils;
- natural waxes; and
- synthetic waxes; and

(2) at least one silicone copolymer with a dynamic viscosity ranging from 1×10^6 to 100×10^6 cP, resulting from the addition reaction, in the presence of a catalyst, of:

- (a) at least one polysiloxane of formula (II):



in which:

- R_4 which may be identical or different, are independently chosen from groups that can react by chain addition reaction,

FINNEGAN
HENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com

- R₅ in formula (II), which may be identical or different, are independently chosen from alkyl, alkenyl, cycloalkyl, aryl, hydroxyl, and alkylaryl groups, and can optionally further comprise at least one functional group,- n is an integer wherein the polysiloxane of formula (II) has a kinematic viscosity ranging from 1 to 1 x 10⁶ mm²/s; and

- (b) at least one silicone compound comprising at least one and not more than two groups capable of reacting with the groups R₄ of the at least one polysiloxane of formula (II), wherein:

- at least one of the at least one polysiloxane of formula (II) and the at least one silicone compound (b) comprises an aliphatic group comprising an ethylenic unsaturation;

-wherein the composition is in a form chosen from a rinse-out hair conditioner, a leave-in hair conditioner, a composition for permanent-waving the hair, a composition for straightening the hair, a composition for dyeing the hair, a composition for bleaching the hair, a rinse-out hair composition to be applied before a procedure chosen from dyeing, bleaching, permanent-waving and straightening the hair, a rinse-out hair composition to be applied after a procedure chosen from dyeing, bleaching, permanent-waving and straightening the hair, a rinse-out hair composition to be applied between the two steps of a permanent-waving operation, ~~and~~ a rinse-out hair composition to be applied between the two steps of a hair-straightening operation, an aqueous hair lotion, an aqueous-alcoholic hair lotion, a hair gel, a hair milk, a hair cream, a[[n]] hair emulsion, a thickened hair lotion, and a hair mousse.

85. (Previously Presented) A composition according to Claim 1, wherein said synthetic oils are chosen from hydrogenated polybutene, non-hydrogenated polybutene, hydrogenated polydecene, and non-hydrogenated polydecene.

86. (Withdrawn)

87. (Withdrawn)

88. (Withdrawn)

89. (Withdrawn)

90. (Withdrawn)

91. (Withdrawn)

92. (Withdrawn)

93. (Canceled)

94. (Original) A composition according to Claim 1, wherein said at least one conditioner is present in an amount ranging from 0.001 % to 20% by weight relative to the total weight of said composition.

95. (Original) A composition according to Claim 94, wherein said at least one conditioner is present in an amount ranging from 0.01 % to 10% by weight relative to the total weight of said composition.